## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	126878	(interchang\$5 or bracket) with (guide or holder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 14:37
L6	6675	((600/309,411,415,417,427,461,466,443,471) or (606/14,46,108)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/05 14:37
L7	266860	(bracket or latch or holder or guide) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 14:37
_8	2674	L7 same (transducer or probe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ÖN	2008/05/05 14:37
_9	82	L6 L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ÖN	2008/05/05 14:37
_10	11	L9 l5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ÖN	2008/05/05 14:37
_11	19	("4058001"   "4058114"   "4346717"   "4567896"   "4576175"   "4899756"   "5095910"   "5647373"   "5660185"   "5924992"   "6216029"   "6689067"   "6695786"   "6702749"   "6733458"   "6743177"   "6755789"   "6764449"   "6951542").PN.	USPAT	AND	ÖN	2008/05/05 14:44
L12	2	(10 or 11) latch	USPAT	AND	ON	2008/05/05 14:44

L17	13	(("6203498") or ("6142946") or ("6117085") or ("6113547") or ("6104126") or ("6102863") or ("6036643") or ("5951478") or ("5916168") or ("5893363") or ("5860924") or ("5846200") or ("5833613")).PN.	USPAT	OR	OFF	2008/05/05 14:54
L19	103	sonosite.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 14:58
L20	1	19 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 14:58
L21	24	("4346717"   "4763662"   "5052396"   "5758650"   "5924992"   "6095981"   "6296614"   "6361499"   "6612990"   "6616610"   "7087024").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 15:06
L22	21	("4576175"   "4898178"   "4899756"   "5052396"   "5076279"   "5623931"   "5758650").PN. OR ("5924992").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/05 15:08
_23	35	("4058114"   "4346717"   "4489730"   "4571243"   "4635644"   "4681103"   "4742829"   "4883059"   "4911173"   "5052396"   "5076279"   "5095910").PN. OR ("5758650").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/05 15:12
_24	3	(22 or 23) ((bracket or latch) same (gauge or angle or size))	US-PGPUB; USPAT; USOCR	AND	ON	2008/05/05 15:14
S2	6667	((600/309,411,415,417,427,461,466,443,471) or (606/14,46,108)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/04/29 14:29
S10	266709	(bracket or latch or holder or guide) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/04/29 14:32
S14	2673	S10 same (transducer or probe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/04/29 14:34

S15	6675	((600/309,411,415,417,427,461,466,443,471) or (606/14,46,108)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/05 11:09
S16	266860	(bracket or latch or holder or guide) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 11:09
S17	2674	S16 same (transducer or probe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 11:09
S18	82	**************************************	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/05/05 11:09

## 5/5/2008 3:18:55 PM

C: Documents and Settings pmehta My Documents EAST Workspaces 10766707.wsp